












# Detachable Power Cable Reference Guide

WTI P/N: 13949, Rev. B

Region	Supply Plug	Equipment End	Rating	Description	WTI Part No.
N. America	NEMA 5-15P 	C13 	10A/125V	NEMA 5-15P to IEC-60320-C13 7 Ft. (2.1M)	DPC-13-515P-8F
N. America	NEMA 5-15P 	C13 	15A/125V	NEMA 5-15P to IEC-60320-C13 6 Ft. (1.8M)	DPC-13-515P-6F
N. America	NEMA 5-15P 	C19 	15A/125V	NEMA 5-15P to IEC-60320-C19 8 Ft. (2.4 M) 10 Ft. (3M)	DPC-19-515P-8F DPC-19-515P-10F
N. America	NEMA 5-20P 	C19 	20A/125V	NEMA 5-20P to IEC-60320-C19 8 Ft. (2.4 M)	DPC-19-520P-8F
N. America	NEMA L5-20P 	C19 	20A/125V	NEMA L5-20P to IEC-60320-C19 8 Ft. (2.4 M)	DPC-19-L520P-8F
N. America	NEMA 6-20P 	C19 	20A/250V	NEMA 6-20P to IEC-60320-C19 8 Ft. (2.4 M)	DPC-19-620P-8F
N. America	NEMA L6-20P 	C19 	20A/250V	NEMA L6-20P to IEC-60320-C19 8 Ft. (2.4 M)	DPC-19-L620P-8F

Region	Supply Plug	Equipment End	Rating	Description	WTI Part No.
N. America & Europe	C14 	C13 	10A/125V	IEC-60320-C14 to IEC-60320-C13 6 Ft. (1.8 M)	DEC-13-14-6F
N. America & Europe	C14 	C13 	10A/250V	IEC-60320-C14 to IEC-60320-C13 1.5 Ft. (0.5 M) 3 Ft. (0.91 M) 5 Ft. (1.5 M) 8 Ft. (2.4 M) 10 Ft. (3 M)	DEC-13-14-1.5F DEC-13-14-3F DEC-13-14-5F DEC-13-14-8F DEC-13-14-10F
N. America & Europe	C14 	C19 	15A/250V	IEC-60320-C14 to IEC-60320-C19 3 Ft. (0.91 M) 6 Ft. (1.8 M) 9 Ft. (2.7 M) 12 Ft. (3.7 M)	DEC-19-14-3F DEC-19-14-6F DEC-19-14-9F DEC-19-14-12F
N. America & Europe	C20 	C19 	20A/250V	IEC-60320-C20 to IEC-60320-C19 3 Ft. (0.91 M) 6 Ft. (1.8 M) 8 Ft. (2.4 M) 10 Ft. (3 M)	DEC-19-20-3F DEC-19-20-6F DEC-19-20-8F DEC-19-20-10F
N. America & Europe	C20 	C13 	16A/250V	IEC-60320-C20 to IEC-60320-C13 2 Ft. (0.6 M) 6 Ft. (1.8 M)	DEC-13-20-2F DCE-13-20-6F
UK	BS 1363 	C13 	5A/250V	BS 1363 to IEC-60320-C13 8.2 Ft. (2.5 M)	DPC-13-UK-8F
UK	BS 1363 	C13 	10A/250V	BS 1363 to IEC-60320-C19 8.2 Ft. (2.5 M)	LC-233
UK	BS 1363 	C19 	13A/250V	BS 1363 to IEC-60320-C19 8.2 Ft. (2.5 M)	DPC-19-UK-8F

Region	Supply Plug	Equipment End	Rating	Description	WTI Part No.
EU	CEE 7/7 	C13 	10A/250V	CEE 7/7 to IEC60320-C13 Schuko 8.2 Ft. (2.5 M)	DPC-13-SHKO-8F
EU	CEE 7/7 	C19 	15A/250V	CEE 7/7 to IEC-60320-C19 Schuko 8.2 Ft. (2.5 M)	DPC-19-SHKO-8F
Aus/NZ	AS 3112 	C13 	10A/250V	AS 3112 to IEC-60320-C13 8.2 Ft. (2.5 M)	DPC-13-AUS-8F